OZWORLD TIMBER FLOORING

PARQUETRY

Hand Crafted With
Australian Native And Exotic
Hardwood Species
From 100% Sustainable Managed Forest



^{*}Timber is a natural product and colour variation will occur.



Pacific Spotted Gum Janka Rating: 9.0 Very Hard

SVPSG-1 936 x 936 x18mm Raw Solid Panel Tongue & Groove



Pacific Blackbutt

Janka Rating: 11.8 Very Hard

SVPBBT-1 936 x 936 x18mm Raw Solid Panel Tongue & Groove



African Mahogany Janka Rating: 8.5 Hard

EVMAH-1 1000x1000x15/3mm Raw Engineered Panel Tongue & Groove





African Teak

Janka Rating: 10.7 Very Hard

EVTEA-1
1000x1000x15/3mm
Raw Engineered Panel
Tongue & Groove



Cumaru

Janka Rating: 14.8 Very Hard

EVCMR-1 866 x 866 x15/3mm Raw Engineered Panel Tongue & Groove



An Innovative Natural Product

Only years of skills and state-of-art machineries

can archive this finest

Add luxury feeling and warmth to your space

Highly customeriablility with different dyes and coatings

ONLY AVAILABLE FROM

OZWORLD TIMBER FLOORING



Blackbutt

Janka Rating: 9.1 Very Hard

SBBTHB92-1 Pre-Finished Solid Timber 600 x 92 x18mm Satin Finish Tongue & Groove



Spotted Gum


Janka Rating: 11 Very Hard

SSGHB122-1

(92mm width also available)

Pre-Finished Solid Timber 600 x 122 x18mm Satin Finish

Tongue & Groove



Sydney Blue Gum Janka Rating: 9.01 Hard

SBGHB92-1 Pre-Finished Solid Timber 600 x 92 x18mm Satin Finish Tongue & Groove



Jatoba Janka Rating: 11.95 Very Hard

SJTBHB92-1 Pre-Finished Solid Timber 600 x 92 x18mm Satin Finish Tongue & Groove



Kempas Janka Rating: 7.6 Hard

SKFMHB122-1 Pre-Finished Solid Timber 600 x 122 x18mm Satin Finish Tongue & Groove




Pacific Blackbutt

Janka Rating: 11.8 Very Hard

SPBBTHB92-1 Pre-Finished Solid Timber 600 x 92 x18mm Satin Finish Tongue & Groove





Grey Ironbark Janka Rating: 14 Very Hard

SGIBHB92-1 Pre-Finished Solid Timber 600 x 92 x18mm Satin Finish Tonque & Groove



Red Ironbark

Janka Rating: 14 Very Hard

SRIBHB92-1 Pre-Finished Solid Timber 600 x 92 x18mm Satin Finish Tongue & Groove

Janka Hardness Rating

The Janka Test is a measure of the hardness of wood. The higher the rating, the harder the timber. Timber hardness defines how easily the material will tear. The softer the timber, the easier it will be scratched, marked, dented and worn down over time, which makes harder timber more desirable.

Hard

14 - Ironbark

11 - Spotted Gum

9.1 - Blackbutt

7.6 - Kempas

6 - European Oak

4.5 - Victorian Ash

Soft

Ozworld.com.au

WHY choose Ozworld pre-finished flooring

Ozworld Prefinished Solid Hardwood Flooring	Traditional Raw Board
12 layers PPG water-based Polyurethane coating with UV- cured lacquer	Normally apply 2~3 layers coating
Installation is easier and cheaper No sanding and coating required	Spend more money on sanding and coating after installation of raw boards
Ordourless; can move in straightaway after installation	Need to live with chemical smell for months after installation
Residential Warranty: 25 Years in Structure 5 Years in Coating	????

12 Layers of PPG Non-Toxic Water-Based Polyurethane Coating


All Ozworld pre-finished floorings are coated with 12 layers of PPG polyurethane coating, ready for immediate use after installation without chemical odours. And also:

- Enjoy longer lifetime and careless
- Supreme performance in abrasion, indentation, and scratch resistance
- Safer than oil-based, fewer volatile organic compounds(VOCs)

With over 135 years of expertise

We protect and beautify the world





Excellence of Quality

